

PULEO S.P.A. INTRODUCES

VEGA R

**UNIT CONSISTING OF
VEGA DESTEMMER AND ROLL SELECTO SORTER**

VEGA R

The new unit **VEGA R** combines the efficient destemming action of "Vega" destemmers with an accurate berry sorting performed by ROLL SELECTO. Destemming and sorting done by a single UNIT and with a double advantage: reduction of overall size and single stalk disposal.

Once destemmed, the berries are conveyed to the ROLL SELECTO located on the lower end.

Through the high speed rotation of the two sections of rollers, the sorter allows to separate the berries from all unwanted parts, such as stalks, leaves, small fragments.





- **SORTING TABLE MADE OF TWO SECTIONS OF ROLLERS:**


one of fixed type that has the purpose of separating the berries from the vegetable waste and the other one made of specially shaped rotating rollers.

The latter allows the second sorting of whole berries and the removal of unwanted parts.

- **SPECIAL ROLLERS**

Another special feature of Roll Selecto is the shape of the roller: specially designed to reproduce the shape of the grape.

It **features** ribs and notches to push waste forward, creating a turbulence that allows leaves and stems to flow towards the disposal end.



ACCESSORIES:



- **MUST COLLECTION TRAY** placed under the first section of rollers. It is provided with a filtering grid for the separation of vegetable waste from free-run must.
- **TELESCOPIC LEGS:** Adjustable in height.
- **CONTROL PANEL:** Equipped with all controls to manage the destemming-crushing system, including power switch for the destemmer shaft and roller speed adjustment.

ADVANTAGES

A good roller sorting table should be easy and quick to adjust and every operator should be able to do so at any time.

Main advantage over competitors:


1. ADJUSTMENT:

you can make any adjustment without need to stop the line!

Mechanical features that can be modified include:

- the distance among the roller axes**
- their rotation speed.**





1. ADJUSTMENT

Depending on the size of the grape to be processed, the rolls can be spaced from 14mm to 22 mm.

ADVANTAGES

2. POSITION OF CONTROLS: The control panel placed near the discharge chute of the rollers allows the operator to have a complete view of the process and the possibility of immediate intervention without stopping the line.



ADVANTAGES:

A good product, in addition to the versatility of operation, must be

3. **easy to clean** in all its parts and

4. **easy to disassemble**, both for routine maintenance and any service that may be carried out directly by the user.

In this regard, Roll Selecto allows the removal of the side folders by simply releasing two lever closures and the possibility of tilting the slides on the edges of the rollers.






ADVANTAGES:

5. PROTECTION OF ELECTRIC MOTOR

Another important feature of Roll Selecto is its complete engine protection by means of a covering folder.

COMPLETE RECEPTION AND SORTING LINE





VEGA R VERSION

AVAILABLE MODELS

VEGA 10 R TS/TS

VEGA 15R TS/TD

VEGA 25R TS/TD

DIFFERENT VERSION: ROLL SELECTO TO BE FITTED TO EXISTING DETEMMER.

